



# WinCC Unified PC RT V17



# Configuration V17 – PC Systems – WinCC Unified PC Runtime with 128 connections



- Each WinCC Unified PC Runtime includes 3 Clients – for locale HMI plus one Operate and one Monitor remote access.
- Simatic NET must be licensed separately for more than 10 x S7-connections S7-connections (up to 128)

## 1 Base Packages WinCC Unified PC RT System

### WinCC Unified PC RT n

- WinCC Unified PC (150) RT
- WinCC Unified PC (500) RT
- WinCC Unified PC (1k) RT
- WinCC Unified PC (2.5k) RT
- WinCC Unified PC (5k) RT
- WinCC Unified PC (10k) RT
- WinCC Unified PC (50k) RT
- WinCC Unified PC (100k) RT
- WinCC Unified Max RT (max.)


## 2 WinCC Unified PC Engineering System

- WinCC Unified PC (10k) ES
- WinCC Unified PC (100k) ES
- WinCC Unified PC (Max) ES

## 3 SIMATIC NET V17

MLFB: 6GK1704-1CW17-0AA0

# Configuration V17 – PC Systems – WinCC Unified PC Runtime – 1 Unified Server and 150 Clients



## 1 Base Packages WinCC Unified PC RT System


WinCC Unified PC RT n

## 2 WinCC Unified Client

- Concurrent Clients (150 system are tested), One for local HMI plus one for remote access
- In principle, more clients **are possible** (depending on the total system load) but cannot be guaranteed
- Windows operating system with **actual** HTML 5 Browser
- “Zero Installation” Clients via state-of-the-art web browsers – (no need to install separate apps or plug-ins)

- WinCC Unified Clients Operate (1) MLFB: 6AV2157-1JW00-0LB0
- WinCC Unified Clients Operate (3) MLFB: 6AV2157-3JW00-0LB0
- WinCC Unified Clients Operate (10) MLFB: 6AV2157-2CW00-0LB0
- WinCC Unified Clients Operate (30) MLFB: 6AV2157-6CW00-0LB0
- WinCC Unified Clients Operate (100) MLFB: 6AV2157-2DW00-0LB0
  
- WinCC Unified Client Monitor (1) MLFB: 6AV2157-1JM00-0LB0
- WinCC Unified Client Monitor (3) MLFB: 6AV2157-3JM00-0LB0
- WinCC Unified Client Monitor (10) MLFB: 6AV2157-2CM00-0LB0

# WinCC Logging – File-based Logging (4200 Logging Tags)



- File-based Logging up to 5,000 Logging Tags (included)
- Alternative tag number solution: With 4200 logging tags
- **I don't necessarily need a 5K RT license because I could also archive internal tags**

## 1 Base Packages SIMATIC HMI Unified Comfort Panels (7 – 22”)

Device name	MLFB Standard Design
MTP2200 Unified Comfort	6AV2128-3XB06-0AX0


## 2 Base Packages WinCC Unified PC RT System

- WinCC Unified PC RT n**
- WinCC Unified PC (2.5k) RT...
  - WinCC Unified PC (5k) RT

## 3 WinCC Unified Logging Tags (4200)

- WinCC Unified Logging Tags
- WinCC Unified Logging Tags (100) MLFB:6AV2157-2DA00-0LB0
- WinCC Unified Logging Tags (500) MLFB:6AV2157-1EA00-0LB0
- WinCC Unified Logging Tags (1000) MLFB:6AV2157-2EA00-0LB0
- WinCC Unified Logging Tags (**5000**) MLFB:6AV2157-1FA00-0LB0

# Configuration V17 – PC Systems – Logging – Unified PC Runtime Databased Logging (11 000 Logging Tags)



## 1 Base Packages WinCC Unified PC RT System

### WinCC Unified PC RT n

- WinCC Unified PC (150) RT
- WinCC Unified PC (500) RT
- WinCC Unified PC (1k) RT
- WinCC Unified PC (2.5k) RT
- WinCC Unified PC (5k) RT
- WinCC Unified PC (10k) RT
- **WinCC Unified PC (50k) RT**
- WinCC Unified PC (100k) RT
- WinCC Unified Max RT (max.)

## 2 Database Storage


MLFB: 6AV2154-0BS01-7LA0

## 3 WinCC Unified Logging Tags (11 00) (1x WinCC Unified Logging Tags (10 000 +1000) )

- |   |                         |
|---|-------------------------|
| • WinCC Unified Logging Tags (100)            | MLFB:6AV2157-2DA00-0LB0 |
| • WinCC Unified Logging Tags (500)            | MLFB:6AV2157-1EA00-0LB0 |
| • WinCC Unified Logging Tags ( <b>1000</b> )  | MLFB:6AV2157-2EA00-0LB0 |
| • WinCC Unified Logging Tags (5000)           | MLFB:6AV2157-1FA00-0LB0 |
| • WinCC Unified Logging Tags ( <b>10000</b> ) | MLFB:6AV2157-2FA00-0LB0 |
| • WinCC Unified Logging Tags (30000)          | MLFB:6AV2157-6FA00-0LB0 |

- The number of Logging Tags is scalable (countable) to grow upon demand up to 30.000 Logging Tags.
- The licenses for Logging Tags are valid both logging types: file-based and databased- Logging
- For logging less 5,000 Tags use File-based Logging
- Alternative tag number solution: With 11 000 logging tags I don't necessarily need a 50K RT license because I could also archive internal tags

# Configuration V17 – PC Systems – Recipes – Unified PC Runtime with Parameter Control



## 1 Base Packages WinCC Unified PC RT System

### WinCC Unified PC RT n:

- WinCC Unified PC (150) RT
- WinCC Unified PC (500) RT
- WinCC Unified PC (1k) RT
- WinCC Unified PC (2.5k) RT
- WinCC Unified PC (5k) RT
- WinCC Unified PC (10k) RT
- WinCC Unified PC (50k) RT
- WinCC Unified PC (100k) RT
- WinCC Unified Max RT (max.)

## 2 WinCC Unified Parameter Control (PC)

MLFB: 6AV2154-0BP01-7LB0

Recipe station – Additional clients can be added upon demand

# SIMATIC HMI Unified Comfort Panels – Starter Kits and accessories



## Starter-Kit

- Device
- WinCC Unified V17 Comfort
- 1,5 m Profinet cable
- Memory Card (32 GB)
- Protective film
- Device-Managed Edge license



[Overview of Starter kits in Industry Mall](#)

## Accessories

- Mounting frames for Comfort Panel compatibility
- Input tools (e.g. touch pen, mouse and keyboard)
- Storage media (e.g. USB-Stick, SD-Card)
- Protective films



## Special offer for all UCP Starter-Kits (until end of the calendar year 2021)

- As of 2022, the L1-prices for the starter kits will also be adjusted (Price group remains).

# SIMATIC WinCC Unified – Ordering Information – IPC Packages

## SIMATIC IPC

Available for almost all SIMATIC IPCs that meet the technical requirements of SIMATIC WinCC Unified PC.



## SIMATIC WinCC Unified PC

WinCC Unified PC Runtime License  
+ Parameter Control  
+ Logging Tags  
(number depends on the RT license)

- Price discount only with concurrent order of IPC and WinCC Unified software
- Please note the technical requirements of WinCC Unified when selecting the configuration
- Further information regarding the packages can be found in SIOS (99860269)  
<https://support.industry.siemens.com/cs/de/en/view/99860269>

Note : no kiosk mode possible (due to missing Windows functions in Windows 10 LTSC/ LTSC)



# SIMATIC WinCC Unified Ordering Information - IPC Packages



Package	Options included	Order Number
WinCC Unified V17 PC RT 150 Package	WinCC Unified Logging Tags <b>(100)</b> Parameter Control	6AV2155-3DB01-7AA0
WinCC Unified V17 PC RT 500 Package	WinCC Unified Logging Tags <b>(200)</b> Parameter Control	6AV2155-1EB01-7AA0
WinCC Unified V17 PC RT 1k Package	WinCC Unified Logging Tags <b>(500)</b> Parameter Control	6AV2155-2EB01-7AA0
WinCC Unified V17 PC RT 2.5k Package	WinCC Unified Logging Tags <b>(500)</b> Parameter Control	6AV2155-2MB01-7AA0
WinCC Unified V17 PC RT 5k Package	WinCC Unified Logging Tags <b>(1000)</b> Parameter Control	6AV2155-1FB01-7AA0
WinCC Unified V17 PC RT 10k Package	WinCC Unified Logging Tags <b>(1000)</b> Parameter Control	6AV2155-2FB01-7AA0
WinCC Unified V17 PC RT 50k Package <sup>1</sup>	WinCC Unified Logging Tags <b>(1000)</b> Parameter Control	6AV2155-1GB01-7AA0

<sup>1</sup> **Cannot** be ordered with IPC127E, IPC227E, IPC277E, IPC327E and IPC377E

# SIMATIC WinCC Unified – IPC Promotion Packages incl. Clients

Available with V17

## WinCC Unified PC RT + 1 Client

- WinCC Unified **PC RT 150**
- Parameter Control
- Logging Tags **(100)**
- Client Operate **(1)**

**6AV2155-3DV01-7AA0**

- WinCC Unified **PC RT 500**
- Parameter Control
- Logging Tags **(200)**
- Client Operate **(1)**

**6AV2155-1EV01-7AA0**

Only with concurrent order of a



## WinCC Unified PC RT + 2 Clients

- WinCC Unified **PC RT 150**
- Parameter Control
- Logging Tags **(100)**
- Client Operate **(2)**

**6AV2155-3DW01-7AA0**

- WinCC Unified **PC RT 500**
- Parameter Control
- Logging Tags **(200)**
- Client Operate **(2)**

**6AV2155-1EW01-7AA0**

SIMATIC IPC see [SIOS \(99860269\)](#)

~ 30%  
discount

# SIMATIC WinCC Unified Promotion Packages (IPC Package)

**SIEMENS**  
*Ingenuity for life*

Available with V17

Package	Options included	Order Number
WinCC Unified V17 PC RT 150 + 1 Client Package	Parameter Control LoggingTags <b>(100)</b> Client Operate <b>(1)</b>	6AV2155-3DV01-7AA0
WinCC Unified V17 PC RT 150 + 2 Clients Package	Parameter Control LoggingTags <b>(100)</b> Client Operate <b>(2)</b>	6AV2155-3DW01-7AA0
WinCC Unified V17 PC RT 500 + 1 Client Package	Parameter Control LoggingTags <b>(200)</b> Client Operate <b>(1)</b>	6AV2155-1EV01-7AA0
WinCC Unified V17 PC RT 500 + 2 Client Package	Parameter Control LoggingTags <b>(200)</b> Client Operate <b>(2)</b>	6AV2155-1EW01-7AA0

**Cannot be ordered with IPC127E, IPC227E, IPC277E, IPC327E and IPC377E !**

# SIMATIC WinCC Unified Ordering Information - Promotion Packages

**SIEMENS**  
*Ingenuity for life*

Available with V17

## WinCC Unified PC (1k) RT

- WinCC Unified PC (1k) RT
- Parameter Control (PC)
- Logging Tags (100)
- Report Execution

**6AV2155-2ES01-7AL0**

## WinCC Unified PC (10k) RT

- WinCC Unified PC (10k) RT
- Parameter Control (PC)
- Logging Tags (1000)
- Report Execution

**6AV2155-2FS01-7AL0**

## WinCC Unified PC (50k) RT

- WinCC Unified PC (50k) RT
- Parameter Control (PC)
- Logging Tags (1000)
- Report Execution
- Database Option
- Client Operate (1)

**6AV2155-1GS01-7AL0**

**Packages only available via Online Software Delivery (OSD)**

~ 30%  
discount

# SIMATIC WinCC Unified – Promotion Packages – Collaboration / Clients

**SIEMENS**  
*Ingenuity for life*

Available with V17

## WinCC Unified Collaboration (3x1)

- 3x WinCC Unified Collaboration

can be distributed to any HMI Unified  
Comfort Panel

or  
WinCC Unified PC Runtime System

**6AV2155-3JR01-7LB0**

## WinCC Unified Client (5x1)

- 5x WinCC Unified Client Operate (1)

can be distributed to any HMI Unified  
Comfort Panel

or  
WinCC Unified PC Runtime System

**6AV2155-1CW01-7LB0**

**Packages only available via Online Software Delivery (OSD)**

~ 20%  
discount

# SIMATIC WinCC Unified – Promotion Package Plant Intelligence Options

**SIEMENS**  
*Ingenuity for life*

Available with V17

## WinCC Unified Plant Intelligence Optionen

- Calendar Option (Base)
- Performance Insight Option (Base)

**6AV2155-1CP31-7LA0**

**Package only available via Online Software Delivery (OSD)**

~ 30%  
discount